

# THE BALE CART & GRAPPLE



by Haukaas



# Bale Cart

by Haukaas

The Bale Cart is designed for farmers and ranchers with large numbers of bales to move. Just like the grain cart, which is a link between your combine and the semi-truck, the Bale Cart is the best link between your baler and the semi-truck.



By gathering bales for efficient loading onto a semi-trailer, you can accomplish in hours what it used to take you days to do.

The Bale Cart allows you to gather and set up to 1,000 bales per day into semi load groups. And once you have them in groups, it takes less than 10 minutes to load the bales tube-style onto a semi-trailer. In this fashion, one person can easily gather and move up to 120 bales per hour.

Want to relocate the bales? It takes only a few minutes to pick them up again.

Want to feed them to your livestock? Easily cut the netting or string once they are loaded onto the cart, and drop them individually for pasture feeding.

Want to sort your bales? Easily drop bales a few at a time at different locations, depending on their content.



This is what you can do with the Bale Cart:

- Pick bales from 48" to 72" in diameter.
- Gently gather bales without damaging the wrapping.
- Pick up bales at over 4 mph and move from bale to bale at 6 mph or faster.
- Pick up and move 10 bales at a time.
- Gather bales into groups to load onto semi-trailer.
- Set the bales in rows with the right spacing to allow a semi and trailer to drive between them for efficient tube-style loading.
- Set bales down or load onto trailer in the same position and on the same flat side to decrease spoilage, and decrease the chances of the bale rolling.
- Haul the bales up to 4 miles. Bales are held securely with a front and rear gate.
- Quickly remove bales from field to allow for a second cut.



The Bale Cart is easy enough for even novice operators to use. The simplicity of its design, low maintenance and rugged design means you'll have the Bale Cart for a long time.

The Bale Cart is essentially maintenance-free. There are no grease points except for the wheel hubs. It is extremely durable, designed to handle over 200,000 bales during its lifetime.

## Bale Cart Specifications:

Minimum HP required	120 hp (89.5 kw)
Minimum Hydraulic Outlets	2 (3 with rear gate)
Minimum Hydraulic Pressure	2,300 psi (15,858 kpsa)
Capacity	8 – 72" (1.83 m) diameter bales 10 – 60" (1.52 m) diameter bales 12 – 48" (1.22 m) diameter bales
Tires	4 – 13.5 x 15 FL 12 ply, 8 bolt wheels
Transport Width	12' 5" (10.26 m)
Shipping Weight	9,600 lbs (4,354 kg)

Designed for Speed

Designed to be Gentle on Bales

Designed to Last

# Bale Grapple

by Haukaas



The Grapple handles your bales gently and efficiently. When used as part of a system with the Bale Cart, the Standard Grapple can load a semi-trailer with 30 bales in less than 10 minutes.

If you're stacking your bales, the Rotating Grapple allows you to stack them in mushroom stacks. Mushroom stacks, with a row of two vertical bales and a horizontal row on top, maximizes storage space, eliminates net wrap freezing and prevents animal damage.

Here's what you can do with the Grapple:

- Make straight, consistent stacks.
- Eliminate flipping and re-aligning – just rotate and place
- Load semi-trailers, two bales at a time
- Keep bales with the same side down to eliminate rolling and make a safer load
- Handle bales from 60" to 72" in size
- Move bales up to 1,650 pounds (750 kg)
- Preserve the net wrap on the bales.



## Grapple Specifications:

Models	Standard Grapple, Rotating Grapple
Bale size range	60" (1.5 m) to 72" (1.8 m)
Bale weight capacity	1,650 lbs (750 kg)
Hydraulic Pressure	2,500 psi (13,790 kPs)

Your local dealer:



**Rite Way Mfg. Co. Ltd.**

P.O. 26097 Regina, SK S4R 8R7 Canada  
www.ritewaymfg.com info@ritewaymfg.com  
Ph: 306-337-4440 Toll Free: 1-800-352-8822

We are continuously improving our products. Design, specifications and material are subject to change without notice.

Printed in Canada 1606

