

RITEWAY

**BALE CART
& GRAPPLE**



RiteWayMfg.com

BALE CART

Gentle on bales, big on productivity.

The Rite Way bale cart has a superior design that eliminates damage to bale wrapping during handling. Whether you are rapidly road siding for loading trailers or moving bales to the field edge to allow for second growth, this machine will comfortably move hundreds of bales each day.



Move any bale size.

The Bale Cart will haul all bales widths from 48" to 72".

Heavy bale option.

For hauling heavier bales, there is a walking beam option that doubles the tires for increased floatation and weight capacity.

Easy to use, built to last.

A favorite among equipment rental companies, this machine is designed for the long haul with no grease points except the wheel hubs.



12 Bales
48" WIDTH



10 Bales
60" WIDTH



8 Bales
72" WIDTH



BALE GRAPPLE

Make short work of your bale handling.

The Bale Grapple is a fantastic machine that can load semi-trailers in 10 minutes or less. It also rapidly and conveniently builds mushroom stacks, which optimize storage space and minimize broken bales resulting from wrapped bales frozen into the ground.

Sized for your chore tractor.

The bale grapple is available in single or double rotating sizes and have tractor adaptors that match up to your operation's front-end loader or skid steer machines.

Gentle on Bales.

Our bale grapple is designed to be gentle on bale wrapping and requires only one hydraulic circuit to grasp and rotate bales.

Big productivity, big capacity.

Move and stack 72" bales with weights up to 1650 lbs



BUILT STRONG FOR YOUR TOUGHEST FIELDS.

Rite Way is a manufacturer of hardworking farm equipment. Our hay equipment simplifies your bale handling, reducing labour and improving the efficiency of your cattle operation.

Specifications

BALE CART

Minimum HP required: 100 hp (75 kw)

Minimum Hydraulic Outlets: 2 (3 with rear gate)

Minimum Hydraulic Pressure: 2,300 psi (15,858 kpsa)

Capacity: 8 – 72" (1.83 m) diameter bales; 10 – 60" (1.52 m) bales; 12 – 48" (1.22 m) bales

Tires: 4 – 13.5 x 15 FL 12 ply, 8 bolt wheels

Optional Tires: 8 – 13.5 x 15FL 12 ply tires with 8 bolt hubs.

Transport Width: 12' 5" (10.26 m)

Shipping Weight: 9,600 lbs (4,354 kgs)

GRAPPLE

***Available in Double and Single, Standard and Rotating**

Bale size range: 60" (1.5 m) to 72" (1.8 m) 60-72" diameter

Bale weight capacity: 1,650 lbs (750 kgs)

Hydraulic Pressure: 2,500 psi (13,790 kPs)

Shipping Weight

Double Rotating: 1,430 lbs (650 kgs)

Single Rotating: 915lbs (415 kgs)

We are continuously improving our products. Design specifications and material are subject to change without notice. For more information on the Bale Cart and Grapple, or other land improvement equipment, visit your local Rite Way equipment dealer or visit www.RiteWayMfg.com

Toll free: 1-800-352-8822  /RiteWayMfg  @RiteWayMfgCo

© Rite Way MFG. CO. LTD.

Printed in Canada

 **RITEWAY SFE**